Application No.	Applicant(s)
10/682,053	WENZEL, STEPHEN B
Examiner	Art Unit
Emmanuel M Marcelo	3654
ears on the cover sheet with the (OR REMAINS) CLOSED in this or other appropriate communication. This application is subject and MPEP 1308.	
ober 29, 2004.	
ne Examiner.	
nder 35 U.S.C. § 119(a)-(d) or (f e been received. e been received in Application Nocuments have been received in	
of this communication to file a re MENT of this application.	eply complying with the requirements
nitted. Note the attached EXAMII res reason(s) why the oath or dec	NER'S AMENDMENT or NOTICE OF claration is deficient.
st be submitted. son's Patent Drawing Review (F 's Amendment / Comment or in t 1.84(c)) should be written on the dithe header according to 37 CFR 1.	he Office action of rawings in the front (not the back) of
osit of BIOLOGICAL MATERI. FOR THE DEPOSIT OF BIOLO	AL must be submitted. Note the GICAL MATERIAL.
6. ⊠ Interview Sumn Paper No./Mai 08), 7. ⊠ Examiner's Am	Date 1029204
	Examiner Emmanuel M Marcelo Pars on the cover sheet with the (OR REMAINS) CLOSED in this or other appropriate communical (IGHTS). This application is subject and MPEP 1308. Pober 29, 2004. The Examiner. The been received. The been received in Application Not the application of this communication to file a report of this application. The standard of this application of the standard of

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Maier, III on October 29, 2004.

The application has been amended as follows:

In the specification:

- Page 1, line 2 under "PRIOR ART", "arre" has been changed to "are";
- Page 3, line 2 under "DESCRIPTION OF THE FIGURES", "froken" has been changed to "broken";
- Page 7, line 5, reference number "23" has been changed to "33"; and on line 19, reference number "45" has been changed to "49";
- Page 8, line 1, reference number "51" has been changed to "59", on line 2, "51" has been changed to "59" and "47" has been changed to "61"; and on line 15, "are" has been deleted;

In the claims:

• Claim 1, line 6, "oopening" has been changed to "opening"; line 12, "andout" has been changed to "and out"; line 18, "menas" has been changed to "means"; lines 21-22, the third occurrence of "the electric motor," has been deleted;

- Claim 7, line 1, "rrel" has been changed to "reel";
- Claim 8, line 2, the first occurrence of "a" has been changed to "the"; also in line 2, "electric" has been changed to "electric"; on line 4, "swhaft islocated" has been changed to "shaft is located"; on line 5, "securrd" has been changed to "secured";
- Claim 9, line 1, "gearassembly" has been changed to "gear assembly";
- Claim 10, line 3, "assmbly" has been changed to "assembly"; and line 4, "anda" has been changed to "and a";
- Claim 11, line 2, "opoeration" has been changed to "operation"; on line 4, the first occurrence of "the" has been changed to "an"; on line 6, the second occurrence of "the" has been changed to "a"; on line 32, the first occurrence of "the" has been changed to "a";
- Claim 16, line 1, "16" has been changed to "12" in accordance with 37 CFR 1.126; on line 45, "redluction" has been changed to "reduction" and the third occurrence of "the" has been changed to "a".

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel M Marcelo whose telephone number is 703-305-6597. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Katherine Matecki can be reached on 703-308-2688. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3654

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Emmanuel M Marcelo Primary Examiner Art Unit 3654

emm October 29, 2004